



MESA Exam 6

Participant ID #:

Acrostic:

Phlebotomist ID:

Date:

Month

Day

Year

QC ID:


Urine / Phlebotomy

PARTICIPANT QUESTIONS


	Yes	No	Don't know
1. 您是否容易出血或皮膚青腫?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
2. 您是否曾經被告知，您有與血液凝結或凝固有關的問題?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
3. 當為您進行抽血時，您是否曾經有過昏厥的經歷?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
4. 您是否有糖尿病，導致您使用胰島素或口服降血糖藥?	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

PROCEDURE

5. Was urine sample filled?

☐ Yes

Skip to #6

☐ No☐ Partial

mL

Why was urine sample not taken?

☐ Participant unable to void☐ Refused☐ Other:

6. Time at start of venipuncture:

:

Hr

Min

☐ AM☐ PM

7. Was any blood drawn?

☐ Yes, full sample☐ Yes, partial sample☐ No, refused☐ No, hard to stick☐ No, other:8. Elapsed time until
tourniquet released:

seconds

(120-seconds optimum)

9. Time at end of
venipuncture:

:

Hr

Min

☐ AM☐ PM



Exam 6

Urine / Phlebotomy

10. Quality of venipuncture: ☐ Traumatic ☐ Clean



Mark all
that apply

☐ Vein collapsed

☐ Excessive duration of draw

☐ Vein hard to get at

☐ Hematoma

☐ Multiple sticks

☐ Leakage at venipuncture site

If tube is not full, but is at least half full, please indicate "Partial" and enter the volume to the nearest mL.

11. Blood volume per tube:

Filled

Specify
volume (mL):
min 1/2 full

Exam 6:

Yes

No

Partial

a. Serum 10 mL

☐

☐

☐

b. EDTA 10 mL

☐

☐

☐

c. Serum 10 mL

☐

☐

☐

d. EDTA 10 mL

☐

☐

☐

e. Paxgene 2.5 mL

☐

☐

☐

f. EDTA CBC/Diff 4 mL

☐

☐

☐

Include if consented to contrast Lung CT

12. Participant selected as a quality control subject?

(Participant ID ends in 6)

(Blood)

(Urine)

☐ NO

☐ NO

☐ YES

☐ YES

☐ YES, but not enough
blood for QC

☐ YES, but not enough
urine for QC

Comments: _____
